

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(test near2 system) same (GUID or "graphical user interface") same (extract\$3 with (target near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:55
L2	205	(test near2 system) same (GUID or "graphical user interface")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:33
L3	2	2 and (extract\$3 with environment with target with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:36
L4	4	2 and (extract\$3 with information with target with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:47
L5	8	2 and ((extract\$3 or export\$3) with information with target with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:50
L6	8	2 and ((extract\$3 or export\$3) same (environment\$1 or information\$1) with (target near4 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:53
L7	6	(test near2 system) same ((extract\$3 or export\$3) with (environment\$1 or information\$1) with (target near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:52
L8	151	((extract\$3 or export\$3) same (environment\$1 or information\$1) with (target near4 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:53
L9	0	(GUID or "graphical user interface") same ((extract\$3 or export\$3) with (environment\$1 or information\$1) with (target near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:54
L10	52	((extract\$3 or export\$3) with (environment\$1 or information\$1) with (target near2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:54

L11	8	10 and ((test near2 system) same (GUID or "graphical user interface")) and (client-server or network or WAN or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:58
L12	8	10 and (test near2 system) and (client-server or network or WAN or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:58
L13	8	10 and (test\$3 near2 system) and (client-server or network or WAN or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:58
L14	8	10 and (test\$3 near2 system\$1) and (client-server or network or WAN or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 16:58
L15	12	10 and(GUID or "graphical user interface") and (client-server or network or WAN or internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:04
L16	0	(select\$5 with environment with target with (system\$1 or database\$1)) same extract\$3 same (test\$3 near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:06
L17	4262	(extract\$3 or export\$3) same select\$3 same environment\$1 or (target near2 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:07
L18	1950	(extract\$3 or export\$3) same select\$3 same environment\$1 or (target near2 database\$1) same (test\$1 near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:07
L19	6	(extract\$3 or export\$3) same select\$3 same (environment\$1 or (target near2 database\$1)) same (test\$1 near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:08
L20	13	(extract\$3 or export\$3 or captur\$3) same select\$3 same (environment\$1 or (target near2 database\$1)) same (test\$1 near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:09

L21	4	((extract\$3 or export\$3 or captur\$3) same (select\$3 with (environment\$1 or (target near2 database\$1))) same (test\$1 near2 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:08
L22	94	((extract\$3 or export\$3 or captur\$3) same (environment\$1 or (target near2 database\$1)) same (test\$1 near2 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:10
L23	9	22 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:11
L24	6	((extract\$3 or export\$3 or captur\$3) with (target near2 (database\$1 or environment\$1))) same (test\$3 near2 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:12
L25	126	((extract\$3 or export\$3 or captur\$3) with (database\$1 or environment\$1)) same (test\$3 near2 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:12
L26	0	((extract\$3 or export\$3 or captur\$3) with (database\$1 or environment\$1)) same (test\$3 near2 system\$1) same (GUID or "graphical user interface"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:13
L27	13	25 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 17:13